

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A method in a data processing system, comprising the steps of:
providing a software development tool having a user interface that is operable by a user
to automatically reflect a modification in the source code to avoid completely regenerating the
source code, wherein the software development tool includes computer instructions for
performing the following ~~computerized~~ computer-executable steps:

receiving an identification of a data structure with an attribute field in a database of data
structures useable to form an object-oriented element from the data structure;

determining whether the data structure is associated with source code;

when it is determined that the data structure is associated with source code, determining
whether the attribute field of the data structure is associated with an attribute in the source code;
and

when it is determined that the attribute field is not associated with an attribute in the
source code, generating a new attribute in the source code from the attribute field;

receiving user input to modify the source code; and

modifying and displaying a graphical representation of the source code to reflect the
source code modification.

2. (currently amended) The method of claim 1, further comprising the ~~computerized~~
computer-executable steps of: when it is determined that the data structure is not associated with

source code, retrieving a portion of the data structure; and generating the source code from the portion of the data structure.

3. (currently amended) The method of claim 1, further comprising the ~~computerized~~ computer-executable steps of:

when it is determined that the data structure is associated with source code, determining whether a second attribute in the source code is associated with a second attribute field in the data structure; and

when it is determined that a second attribute in the source code is not associated with a second attribute field in the data structure, removing the second attribute from the source code.

4. (currently amended) The method of claim 3, wherein the ~~computerized~~ computer-executable step of removing the second attribute from the source code comprises the ~~computerized~~ computer-executable step of removing a method associated with the second attribute from the source code.

5. cancelled.

6. cancelled.

7. (currently amended) The method of claim 4, further comprising the ~~computerized~~ computer-executable step of modifying the graphical representation of the source code to reflect the removal of the second attribute.

8. (currently amended) The method of claim 1, wherein the ~~computerized~~ computer-executable step of determining whether the data structure is associated with the source code comprises the ~~computerized~~ computer-executable step of searching a comment in the source code for the identification of the data structure.

9. (currently amended) The method of claim 1, wherein the ~~computerized~~ computer-executable step of determining whether the data structure is associated with the source code comprises the ~~computerized~~ computer-executable step of comparing a name for the source code with the identification of the data structure.

10. (currently amended) The method of claim 1, further comprising the ~~computerized~~ computer-executable steps of: retrieving access information for the database; and retrieving a portion of the data structure from the database using the access information.

11. (currently amended) The method of claim 10, wherein the ~~computerized~~ computer-executable step of retrieving the access information comprises the ~~computerized~~ computer-executable step of retrieving the identification of the data structure and the access information from a configuration file.

12. (currently amended) The method of claim 10, wherein the ~~computerized~~ computer-executable step of retrieving the access information comprises the ~~computerized~~ computer-

executable step of retrieving the identification of the data structure and the access information from a comment of the source code.

13. (original) The method of claim 10, wherein the portion of the data structure comprises the attribute field of the data structure.

14. (original) The method of claim 1, wherein the source code comprises a class.

15. (original) The method of claim 1, wherein the source code comprises a distributed computing component.

16. (original) The method of claim 15, wherein the distributed computing component is an Enterprise JavaBean.TM.

17. (currently amended) The method of claim 1, wherein the ~~computerized~~ computer-executable step of generating the new attribute in the source code comprises the ~~computerized~~ computer-executable step of generating a method in the source code to access the attribute field of the data structure.

18. (currently amended) A method in a data processing system having source code that corresponds to a data structure within a database of data structures useable to form an object-oriented element from the data structure on a secondary storage device, the method comprising the steps of:

providing a software development tool having a user interface that is operable by a user to automatically reflect a modification in the source code to avoid completely regenerating the source code, wherein the software development tool includes computer instructions for performing the following ~~computerized~~ computer-executable steps:

receiving an indication to update the source code; determining whether a first attribute in the source code is associated with a first attribute field in the data structure;

when it is determined that a first attribute in the source code is not associated with a first attribute field in the data structure, removing the first attribute from the source code;

determining whether a second attribute field in the data structure is associated with a second attribute in the source code; and when it is determined that a second attribute field is not associated with a second attribute in the source code, generating the second attribute in the source code from the second attribute field and associating the second attribute with the second attribute field; and

receiving user input to modify the source code; and

modifying and displaying a graphical representation of the source code to reflect the source code modification.

19. (currently amended) The method of claim 18, further comprising the ~~computerized~~ computer-executable step of retrieving an identification of the data structure and access information for the secondary storage from a comment in the source code.

20. (currently amended) The method of claim 19, further comprising the ~~computerized~~ computer-executable step of retrieving a portion of the data structure from the secondary storage device using the access information.

21. (original) The method of claim 20, wherein the portion comprises the first and the second attribute fields.

22. (currently amended) The method of claim 18, wherein the ~~computerized~~ computer-executable step of removing the first attribute from the source code comprises the ~~computerized~~ computer-executable step of removing a method associated with the first attribute from the source code.

23. (currently amended) The method of claim 18, wherein the ~~computerized~~ computer-executable step of generating the second attribute in the source code comprises the ~~computerized~~ computer-executable step of generating a method in the source code to access the second attribute field of the data structure.

24. (currently amended) A method in a data processing system having a memory device with source code and a secondary storage device with a data structure within a database of data structures useable to form an object-oriented element from the data structure corresponding to the source code, the method comprising the steps of: providing a software development tool having a user interface that is operable by a user to automatically reflect a modification in the source code to avoid completely regenerating the source code, wherein the software development

tool includes computer instructions for performing the following ~~computerized~~ computer-executable steps:

receiving an indication that the data structure has been modified; and automatically reflecting the modification in the source code so as to avoid completely regenerating the source code;

receiving user input to modify the source code; and

modifying and displaying a graphical representation of the source code to reflect the source code modification.

25. (currently amended) The method of claim 24, wherein the ~~computerized~~ computer-executable step of automatically reflecting the modification comprises the ~~computerized~~ computer-executable steps of:

determining whether a first attribute in the source code is associated with a first attribute field in the data structure; and when it is determined that a first attribute in the source code is not associated with a first attribute field in the data structure, removing the first attribute from the source code.

26. (currently amended) The method of claim 25, wherein the ~~computerized~~ computer-executable step of removing the first attribute from the source code comprises the ~~computerized~~ computer-executable step of removing a first method associated with the first attribute in the source code.

27. (currently amended) The method of claim 25, wherein the ~~computerized~~ computer-executable step of automatically reflecting the modification further comprises the ~~computerized~~ computer-executable steps of:

determining whether a second attribute field in the data structure is associated with a second attribute in the source code; and

when it is determined that a second attribute field in the data structure is not associated with a second attribute in the source code, generating the second attribute in the source code from the second attribute field and associating the second attribute with the second attribute field.

28. (currently amended) The method of claim 27, wherein the ~~computerized~~ computer-executable step of generating the second attribute in the source code comprises the computer-executable step of generating a second method in the source code to access the second attribute field of the data structure.

29. cancelled.

30. cancelled.

31. (original) The method of claim 24, wherein the source code comprises a class.

32. (original) The method of claim 24, wherein the source code comprises a distributed computing component.

33. (original) The method of claim 32, wherein the distributed computing component is an Enterprise JavaBean.TM..

34. (currently amended) A method in a data processing system having a memory device with source code, the method comprising the steps of:

providing a software development tool having a user interface that is operable by a user to automatically reflect a modification in the source code to avoid completely regenerating the source code, wherein the software development tool includes computer instructions for performing the following ~~computerized~~ computer-executable steps:

determining whether the source code is associated with a data structure within a database of data structures useable to form an object-oriented element from the data structure;

when it is determined that the source code is associated with the data structure, determining whether a first attribute in the source code is associated with a first attribute field of the data structure;

when it is determined that the first attribute in the source code is not associated with the first attribute field in the data structure, generating the first attribute field in the data structure;

determining whether a second attribute field in the data structure is associated with a second attribute in the source code; and

when it is determined that the second attribute field is not associated with the second attribute in the source code, removing the second attribute field from the data structure; and

receiving user input to modify the source code; and

modifying and displaying a graphical representation of the source code to reflect the source code modification.

35. (currently amended) The method of claim 34, further comprising the ~~computerized~~ computer-executable step of when it is determined that the source code is not associated with the data structure, generating the data structure from the source code.

36. (currently amended) The method of claim 34, wherein the ~~computerized~~ computer-executable step of determining whether the source code is associated with the data structure comprises the ~~computerized~~ computer-executable step of searching a comment in the source code for an identification of the data structure.

37. (currently amended) The method of claim 34, wherein the ~~computerized~~ computer-executable step of determining whether the source code is associated with the data structure comprises the ~~computerized~~ computer-executable step of comparing a name for the source code with an identification of the data structure.

38. (currently amended) The method of claim 34, further comprising the ~~computerized~~ computer-executable steps of: retrieving access information for a database that stores the data structure; and retrieving a portion of the data structure from the database using the access information.

39. (currently amended) The method of claim 38, wherein the ~~computerized~~ computer-executable step of retrieving the access information comprises the ~~computerized~~ computer-executable step of retrieving an identification of the data structure and the access information from a configuration file.

40. (currently amended) The method of claim 38, wherein the ~~computerized~~ computer-executable step of retrieving the access information comprises the ~~computerized~~ computer-executable step of retrieving an identification of the data structure and the access information from a comment of the source code.

41. (original) The method of claim 38, wherein the portion of the data structure comprises the first attribute field in the data structure.

42. (original) The method of claim 34, wherein the source code comprises a class.

43. (original) The method of claim 34, wherein the source code comprises a distributed computing component.

44. (original) The method of claim 34, wherein the first attribute field in the data structure is related to a method in the source code.

45. (currently amended) A method in a data processing system having a memory device with source code, the method comprising the steps of:

providing a software development tool having a user interface that is operable by a user to automatically modify source code, wherein the software development tool includes computer instructions for performing the following ~~computerized~~ computer-executable steps:

receiving an indication to update a data structure within a database of data structures useable to form an object-oriented element from the data structure related to the source code;

determining whether a first attribute field of the data structure is associated with a first attribute in the source code;

when it is determined that the first attribute field of the data structure is not associated with the first attribute of the source code, removing the first attribute field from the data structure;

determining whether a second attribute in the source code is associated with a second attribute field in the data structure; and

when it is determined that the second attribute is not associated with the second attribute field in the data structure, adding the second attribute field to the data structure; and receiving user input to modify the source code; and

modifying and displaying a graphical representation of the source code to reflect the source code modification.

46. (currently amended) The method of claim 45, further comprising the ~~computerized~~ computer-executable steps of:

retrieving access information for a database that stores the data structure; and retrieving a portion of the data structure from the database using the access information.

47. (currently amended) The method of claim 46, wherein the ~~computerized~~ computer-executable step of retrieving the access information comprises the computerized step of retrieving an identification of the data structure and the access information from a configuration file.

48. (currently amended) The method of claim 46, wherein the ~~computerized~~ computer-executable step of retrieving the access information comprises the ~~computerized~~ computer-executable step of retrieving an identification of the data structure and the access information from a comment of the source code.

49. (original) The method of claim 46, wherein the portion of the data structure comprises the first attribute field in the data structure.

50. (original) The method of claim 45, wherein the source code comprises a class.

51. (original) The method of claim 45, wherein the source code comprises a distributed computing component.

52. (currently amended) A method in a data processing system having a memory device with source code and a secondary storage device with a data structure within a database of data structures useable to form an object-oriented element from the data structure corresponding to the source code, the method comprising the steps of:

providing a software development tool having a user interface that is operable by a user to automatically reflect a modification in the source code to avoid completely regenerating the source code, wherein the software development tool includes computer instructions for performing the following ~~computerized~~ computer-executable steps:

receiving an indication that the source code has been modified; and automatically reflecting the modification in the data structure so as to avoid completely regenerating the data structure;

receiving user input to modify the source code; and

modifying and displaying a graphical representation of the source code to reflect the source code modification.

53. (currently amended) The method of claim 52, wherein the ~~computerized~~ computer-executable step of automatically reflecting the modification comprises the ~~computerized~~ computer-executable steps of: determining whether a first attribute in the source code is associated with a first attribute field of the data structure; and when it is determined that a first attribute is not associated with a first attribute field in the data structure, generating the first attribute field in the data structure.

54. (currently amended) The method of claim 52, further comprising the ~~computerized~~ computer-executable steps of: determining whether a second attribute field in the data structure is associated with a second attribute in the source code; and when it is determined that a second attribute field is not associated with a second attribute in the source code, removing the second attribute field from the data structure.

55. (currently amended) The method of claim 52, further comprising the ~~computerized~~ computer-executable steps of: retrieving access information for a database that stores the data structure; and retrieving a portion of the data structure from the database using the access information.

56. (currently amended) The method of claim 55, wherein the ~~computerized~~ computer-executable step of retrieving the access information comprises the ~~computerized~~ computer-executable step of retrieving an identification of the data structure and the access information from a configuration file.

57. (currently amended) The method of claim 55, wherein the ~~computerized~~ computer-executable step of retrieving the access information comprises the ~~computerized~~ computer-executable step of retrieving an identification of the data structure and the access information from a comment of the source code.

58. (original) The method of claim 55, wherein the portion of the data structure comprises the first attribute field in the data structure.

59. (original) The method of claim 52, wherein the source code comprises a class.

60. (original) The method of claim 52, wherein the source code comprises a distributed computing component.

61. (original) The method of claim 52, wherein the first attribute field in the data structure is related to a method in the source code.

62. (currently amended) A computer-readable medium containing instructions for controlling a data processing system to perform a method, the method comprising the steps of:
providing a software development tool having a user interface that is operable by a user to automatically reflect a modification in the source code to avoid completely regenerating the source code, wherein the software development tool includes computer instructions for performing the following ~~computerized~~ computer-executable steps:

receiving an identification of a data structure with an attribute field in a database of data structures useable to form an object-oriented element from the data structure; determining whether the data structure is associated with source code;

when it is determined that the data structure is associated with source code, determining whether the attribute field of the data structure is associated with an attribute in the source code; and

when it is determined that the attribute field is not associated with an attribute in the source code, generating a new attribute in the source code from the attribute field; and receiving user input to modify the source code; and

modifying and displaying a graphical representation of the source code to reflect the source code modification.

63. (currently amended) The computer-readable medium of claim 62, wherein the method further comprises the ~~computerized~~ computer-executable steps of:

when it is determined that the data structure is not associated with source code, retrieving a portion of the data structure; and generating the source code from the portion of the data structure.

64. (currently amended) The computer-readable medium of claim 62, wherein the method further comprises the ~~computerized~~ computer-executable steps of:

when it is determined that the data structure is associated with source code, determining whether a second attribute in the source code is associated with a second attribute field in the data structure; and

when it is determined that a second attribute in the source code is not associated with a second attribute field in the data structure, removing the second attribute from the source code.

65. (currently amended) The computer-readable medium of claim 64, wherein the ~~computerized~~ computer-executable step of removing the second attribute from the source code comprises the step of removing a method associated with the second attribute from the source code.

66. cancelled.

67. cancelled.

68. (currently amended) The computer-readable medium of claim 65, wherein the method further comprises the ~~computerized~~ computer-executable step of modifying the graphical representation of the source code to reflect the removal of the second attribute.

69. (currently amended) The computer-readable medium of claim 62, wherein the step of determining whether the data structure is associated with the source code comprises the ~~computerized~~ computer-executable step of searching a comment in the source code for the identification of the data structure.

70. (currently amended) The computer-readable medium of claim 62, wherein the step of determining whether the data structure is associated with the source code comprises the ~~computerized~~ computer-executable step of comparing a name for the source code with the identification of the data structure.

71. (currently amended) The computer-readable medium of claim 62, wherein the method further comprises the ~~computerized~~ computer-executable steps of: retrieving access information for the database; and retrieving a portion of the data structure from the database using the access information.

72. (currently amended) The computer-readable medium of claim 71, wherein the computerized step of retrieving the access information comprises the ~~computerized~~ computer-executable step of retrieving the identification of the data structure and the access information from a configuration file.

73. (currently amended) The computer-readable medium of claim 71, wherein the ~~computerized~~ computer-executable step of retrieving the access information comprises the ~~computerized~~ computer-executable step of retrieving the identification of the data structure and the access information from a comment of the source code.

74. (original) The computer-readable medium of claim 71, wherein the portion of the data structure comprises the attribute field of the data structure.

75. (original) The computer-readable medium of claim 62, wherein the source code comprises a class.

76. (original) The computer-readable medium of claim 62, wherein the source code comprises a distributed computing component.

77. (original) The computer-readable medium of claim 76, wherein the distributed computing component is an Enterprise JavaBean.TM..

78. (currently amended) The computer-readable medium of claim 62, wherein the ~~computerized~~ computer-executable step of generating the new attribute in the source code comprises the ~~computerized~~ computer-executable step of generating a method in the source code to access the attribute field of the data structure.

79. (currently amended) A computer-readable medium containing instructions for controlling a data processing system to perform a method, the data processing system having source code that corresponds to a data structure within a database of data structures useable to form an object-oriented element from the data structure on a secondary storage device, the method comprising the steps of: providing a software development tool having a user interface that is operable by a user to automatically reflect a modification in the source code to avoid completely regenerating the source code, wherein the software development tool is for performing the following ~~computerized~~ computer-executable steps:

receiving an indication to update the source code; determining whether a first attribute in the source code is associated with a first attribute field in the data structure, when it is determined that a first attribute in the source code is not associated with a first attribute field in the data structure, removing the first attribute from the source code; determining whether a second attribute field in the data structure is associated with a second attribute in the source code; and

when it is determined that a second attribute field is not associated with a second attribute in the source code, generating the second attribute in the source code from the second attribute field and associating the second attribute with the second attribute field; and receiving user input to automatically reflect a modification in the source code; and

modifying and displaying a graphical representation of the source code to reflect the source code modification.

80. (currently amended) The computer-readable medium of claim 79, wherein the method further comprises the ~~computerized~~ computer-executable step of retrieving an identification of

the data structure and access information for the secondary storage from a comment in the source code.

81. (currently amended) The computer-readable medium of claim 80, wherein the method further comprises the ~~computerized~~ computer-executable step of retrieving a portion of the data structure from the secondary storage device using the access information.

82. (original) The computer-readable medium of claim 81, wherein the portion comprises the first and the second attribute fields.

83. (currently amended) The computer-readable medium of claim 79, wherein the ~~computerized~~ computer-executable step of removing the first attribute from the source code comprises the ~~computerized~~ computer-executable step of removing a method associated with the first attribute from the source code.

84. (currently amended) The computer-readable medium of claim 79, wherein the ~~computerized~~ computer-executable step of generating the second attribute in the source code comprises the ~~computerized~~ computer-executable step of generating a method in the source code to access the second attribute field of the data structure.

85. (currently amended) A computer-readable medium containing instructions for controlling a data processing system to perform a method, the data processing system having a memory device with source code and a secondary storage device with a data structure within a

database of data structures useable to form an object-oriented element from the data structure corresponding to the source code, the method comprising the steps of:

providing a software development tool having a user interface that is operable by a user to automatically reflect a modification in the source code to avoid completely regenerating the source code, wherein the software development tool is for performing the following ~~computerized~~ computer-executable steps: receiving an indication that the data structure has been modified; and

automatically reflecting the modification in the source code so as to avoid completely regenerating the source code;

receiving user input to modify the source code; and

modifying and displaying a graphical representation of the source code to reflect the source code modification.

86. (currently amended) The computer-readable medium of claim 85, wherein the step of automatically reflecting the modification comprises the ~~computerized~~ computer-executable steps of:

determining whether a first attribute in the source code is associated with a first attribute field in the data structure; and when it is determined that a first attribute in the source code is not associated with a first attribute field in the data structure, removing the first attribute from the source code.

87. (currently amended) The computer-readable medium of claim 86, wherein the ~~computerized~~ computer-executable step of removing the first attribute from the source code

comprises the ~~computerized~~ computer-executable step of removing a first method associated with the first attribute in the source code.

88. (currently amended) The computer-readable medium of claim 86, wherein the ~~computerized~~ computer-executable step of automatically reflecting the modification further comprises the ~~computerized~~ computer-executable steps of:

determining whether a second attribute field in the data structure is associated with a second attribute in the source code; and

when it is determined that a second attribute field in the data structure is not associated with a second attribute in the source code, generating the second attribute in the source code from the second attribute field and associating the second attribute with the second attribute field.

89. (currently amended) The computer-readable medium of claim 88, wherein the ~~computerized~~ computer-executable step of generating the second attribute in the source code comprises the ~~computerized~~ computer-executable step of generating a second method in the source code to access the second attribute field of the data structure.

90. cancelled.

91. cancelled.

92. (original) The computer-readable medium of claim 85, wherein the source code comprises a class.

93. (original) The computer-readable medium of claim 85, wherein the source code comprises a distributed computing component.

94. (original) The computer-readable medium of claim 93, wherein the distributed computing component is an Enterprise JavaBean.TM..

95. (currently amended) A computer-readable medium containing instructions for controlling a data processing system to perform a method, the data processing system having a memory device with source code, the method comprising the steps of: providing a software development tool having a user interface that is operable by a user to automatically reflect a modification in the source code to avoid completely regenerating the source code, wherein the software development tool includes computer instructions for performing the following ~~computerized~~ computer-executable steps:

determining whether the source code is associated with a data structure within a database of data structures useable to form an object-oriented element from the data structure;

when it is determined that the source code is associated with the data structure, determining whether a first attribute in the source code is associated with a first attribute field of the data structure;

when it is determined that the first attribute in the source code is not associated with the first attribute field in the data structure, generating the first attribute field in the data structure;

determining whether a second attribute field in the data structure is associated with a second attribute in the source code; and

when it is determined that the second attribute field is not associated with the second attribute in the source code, removing the second attribute field from the data structure; and receiving user input to modify the source code; and

modifying and displaying a graphical representation of the source code to reflect the source code modification.

96. (currently amended) The computer-readable medium of claim 95, wherein the method further comprises the ~~computerized~~ computer-executable step of when it is determined that the source code is not associated with the data structure, generating the data structure from the source code.

97. (currently amended) The computer-readable medium of claim 95, wherein the ~~computerized~~ computer-executable step of determining whether the source code is associated with the data structure comprises the ~~computerized~~ computer-executable step of searching a comment in the source code for an identification of the data structure.

98. (currently amended) The computer-readable medium of claim 95, wherein the ~~computerized~~ computer-executable step of determining whether the source code is associated with the data structure comprises the ~~computerized~~ computer-executable step of comparing a name for the source code with an identification of the data structure.

99. (currently amended) The computer-readable medium of claim 95, wherein the method further comprises the ~~computerized~~ computer-executable steps of:

retrieving access information for a database that stores the data structure; and

retrieving a portion of the data structure from the database using the access information.

100. (currently amended) The computer-readable medium of claim 99, wherein the ~~computerized~~ computer-executable step of retrieving the access information comprises the computerized step of retrieving an identification of the data structure and the access information from a configuration file.

101. (currently amended) The computer-readable medium of claim 99, wherein the ~~computerized~~ computer-executable step of retrieving the access information comprises the ~~computerized~~ computer-executable step of retrieving an identification of the data structure and the access information from a comment of the source code.

102. (original) The computer-readable medium of claim 99, wherein the portion of the data structure comprises the first attribute field in the data structure.

103. (original) The computer-readable medium of claim 95, wherein the source code comprises a class.

104. (original) The computer-readable medium of claim 95, wherein the source code comprises a distributed computing component.

105. (original) The computer-readable medium of claim 95, wherein the first attribute field in the data structure is related to a method in the source code.

106. (currently amended) A computer-readable medium containing instructions for controlling a data processing system to perform a method, the data processing system having a memory device with source code, the method comprising the steps of:

providing a software development tool having a user interface that is operable by a user to automatically reflect a modification in the source code to avoid completely regenerating the source code, wherein the software development tool includes computer instructions for performing the following ~~computerized~~ computer-executable steps:

receiving an indication to update a data structure within a database of data structures useable to form an object-oriented element from the data structure related to the source code;

determining whether a first attribute field of the data structure is associated with a first attribute in the source code;

when it is determined that the first attribute field of the data structure is not associated with the first attribute of the source code, removing the first attribute field from the data structure; determining whether a second attribute in the source code is associated with a second attribute field in the data structure; and

when it is determined that the second attribute is not associated with the second attribute field in the data structure, adding the second attribute field to the data structure; and receiving user input to modify the source code; and

modifying and displaying a graphical representation of the source code to reflect the source code modification.

107. (currently amended) The computer-readable medium of claim 106, wherein the method further comprises the ~~computerized~~ computer-executable steps of:

retrieving access information for a database that stores the data structure; and retrieving a portion of the data structure from the database using the access information.

108. (currently amended) The computer-readable medium of claim 107, wherein the ~~computerized~~ computer-executable step of retrieving the access information comprises the ~~computerized~~ computer-executable step of retrieving an identification of the data structure and the access information from a configuration file.

109. (currently amended) The computer-readable medium of claim 107, wherein the ~~computerized~~ computer-executable step of retrieving the access information comprises the ~~computerized~~ computer-executable step of retrieving an identification of the data structure and the access information from a comment of the source code.

110. (original) The computer-readable medium of claim 107, wherein the portion of the data structure comprises the first attribute field in the data structure.

111. (original) The computer-readable medium of claim 106, wherein the source code comprises a class.

112. (original) The computer-readable medium of claim 106, wherein the source code comprises a distributed computing component.

113. (currently amended) A computer-readable medium containing instructions for controlling a data processing system to perform a method, the data processing system having a memory device with source code and a secondary storage device with a data structure corresponding to the source code, the method comprising the steps of:

providing a software development tool having a user interface that is operable by a user to automatically reflect a modification in the source code to avoid completely regenerating the source code, wherein the software development tool includes computer instructions for performing the following ~~computerized~~ computer-executable steps:

receiving an indication that the source code has been modified; and automatically reflecting the modification in the data structure so as to avoid completely regenerating the data structure; and

receiving user input to modify the source code; and

modifying and displaying a graphical representation of the source code to reflect the source code modification.

114. (currently amended) The computer-readable medium of claim 113, wherein the ~~computerized~~ computer-executable step of automatically reflecting the modification comprises the ~~computerized~~ computer-executable steps of:

determining whether a first attribute in the source code is associated with a first attribute field of the data structure; and

when it is determined that a first attribute is not associated with a first attribute field in the data structure, generating the first attribute field in the data structure.

115. (currently amended) The computer-readable medium of claim 113, wherein the method further comprises the ~~computerized~~ computer-executable steps of:

determining whether a second attribute field in the data structure is associated with a second attribute in the source code; and

when it is determined that a second attribute field is not associated with a second attribute in the source code, removing the second attribute field from the data structure.

116. (currently amended) The computer-readable medium of claim 113, wherein the method further comprises the ~~computerized~~ computer-executable steps of:

retrieving access information for a database that stores the data structure; and retrieving a portion of the data structure from the database using the access information.

117. (currently amended) The computer-readable medium of claim 116, wherein the ~~computerized~~ computer-executable step of retrieving the access information comprises the ~~computerized~~ computer-executable step of retrieving an identification of the data structure and the access information from a configuration file.

118. (currently amended) The computer-readable medium of claim 116, wherein the ~~computerized~~ computer-executable step of retrieving the access information comprises the ~~computerized~~ computer-executable step of retrieving an identification of the data structure and the access information from a comment of the source code.

119. (original) The computer-readable medium of claim 116, wherein the portion of the data structure comprises the first attribute field in the data structure.

120. (original) The computer-readable medium of claim 113, wherein the source code comprises a class.

121. (original) The computer-readable medium of claim 113, wherein the source code comprises a distributed computing component.

122. (original) The computer-readable medium of claim 113, wherein the first attribute field in the data structure is related to a method in the source code.

123. (currently amended) A data processing system comprising:
a software development tool having a user interface that is operable by a user to automatically reflect a modification in the source code to avoid completely regenerating the source code;

a secondary storage device further comprising source code that corresponds to a data structure within a database of data structures useable to form an object-oriented element from the data structure on a secondary storage device;

a memory device further comprising a computer program having computer-executable steps that receives an indication to update the source code, that determines whether a first attribute in the source code is associated with a first attribute field in the data structure, and

when it is the computer-executable steps have determined that a first attribute in the source code is not associated with a first attribute field in the data structure, the program removes the first attribute from the source code, the program further determines whether a second attribute field in the data structure is associated with a second attribute in the source code, and

when it is the computer-executable steps have determined that a second attribute field is not associated with a second attribute in the source code, the computer program generates the second attribute in the source code from the second attribute field and associating the second attribute with the second attribute field;

receiving user input by way of the computer-executable steps to modify the source code; modifying and displaying by way of the computer-executable steps a graphical representation of the source code to reflect the source code modification; and

a processor for running the computer program.

124. (currently amended) The data processing system of claim 123, wherein the computer-executable steps of the computer program further retrieves an identification of the data structure and access information for the secondary storage from a comment in the source code.

125. (currently amended) The data processing system of claim 124, wherein the computer-executable steps of the computer program further retrieves a portion of the data structure from the secondary storage device using the access information.

126. (original) The data processing system of claim 125, wherein the portion comprises the first and the second attribute fields.

127. (currently amended) The data processing system of claim 123, wherein when the computer-executable steps of the computer program removes the first attribute from the source code, and the computer-executable steps of the computer program removes a method associated with the first attribute from the source code.

128. (currently amended) The data processing system of claim 123, wherein when the computer-executable steps of the computer program generates the second attribute in the source code, the computer program generates a method in the source code to access the second attribute field of the data structure.

129. (currently amended) A data processing system comprising:
a software development tool having a user interface that is operable by a user to automatically reflect a modification in the source code to avoid completely regenerating the source code; a secondary storage device further comprising source code;
a memory device further comprising a computer program having computer-executable steps that receives an indication to update a data structure within a database of data structures

useable to form an object-oriented element from the data structure related to the source code, that determines whether a first attribute field of the data structure is associated with a first attribute in the source code, and

when ~~it is~~ the computer-executable steps have determined that the first attribute field of the data structure is not associated with the first attribute of the source code, the computer program removes the first attribute field from the data structure, the computer program further determines whether a second attribute in the source code is associated with a second attribute field in the data structure, and

when ~~it is~~ the computer-executable steps have determined that the second attribute is not associated with the second attribute field in the data structure, the computer program adds the second attribute field to the data structure;

receiving by way of the computer-executable steps user input to modify the source code modifying and displaying by way of the computer-executable steps a graphical representation of the source code to reflect the source code modification;

and a processor for running the computer program.

130. (currently amended) The data processing system of claim 129, wherein when the computer-executable steps of the computer program further retrieves access information for a database that stores the data structure, and retrieves a portion of the data structure from the database using the access information.

131. (previously presented) The data processing system of claim 130, wherein when the computer-executable steps of the computer program retrieves the access information, and the

computer-executable steps of the computer program retrieves an identification of the data structure and the access information from a configuration file.

132. (previously presented) The data processing system of claim 130, wherein when the computer-executable steps of computer program retrieves the access information, the computer program retrieves an identification of the data structure and the access information from a comment of the source code.

133. (original) The data processing system of claim 130, wherein the portion of the data structure comprises the first attribute field in the data structure.

134. (original) The data processing system of claim 129, wherein the source code comprises a class.

135. (original) The data processing system of claim 129, wherein the source code comprises a distributed computing component.

136. (currently amended) A system having a memory device with source code and a secondary storage device with a data structure within a database of data structures useable to form an object-oriented element from the data structure corresponding to the source code, the system comprising:

a software development tool having a user interface that is operable by a user to modify source code;

wherein the software development tool includes computer instructions having computer-executable steps for receiving an indication that the data structure has been modified; and computer instructions for automatically reflecting the modification in the source code so as to avoid completely regenerating the source code; and

wherein the software development tool includes computer instructions having computer-executable steps for modifying and displaying a graphical representation of the source code to reflect the source code modification.